




*Chemical Solutions to Keep You Moving™*

[www.crcindustries.com](http://www.crcindustries.com)

# About CRC Industries



## CRC Global Locations

**USA** | Horsham, PA • Warminster, PA • Ivyland, PA • Reno, NV • Norcross, GA

**GLOBAL** | Canada • Mexico • South America • United Kingdom • Belgium • Denmark  
Norway • Sweden • Finland • France • Spain/Portugal • Germany • Poland • Russia • Hungary  
Turkey • Middle East • China • India • Malaysia • South Africa • Australia • New Zealand



## Then

CRC began in a Pennsylvania garage in 1958 as **Corrosion Reaction Consultants** with a single product: CRC Corrosion Inhibitor, a multi-purpose lubricant.

## Now

Today, CRC is a global supplier of chemical specialty products, manufacturing over 1,300 items and developing specialized formulas to meet the unique needs of the Automotive, Marine, Heavy Duty, Hardware, Electrical, Industrial and Aviation markets. CRC serves customers around the world with manufacturing and distribution throughout Europe, Central and South America and Asia-Pacific marketing areas. CRC operates 26 facilities that produce more than 70 million cans of aerosol products each year.

## Committed to Quality



CRC is proud to be ISO (International Organization for Standardization) certified since 1996. The benefits of achieving and maintaining ISO 9001:2008 certification reach our customers through the consistent conformity of our products and services, assuring superior quality, environmental responsibility, safety and reliability.

The Result: Products you can depend on from a company who has earned your trust.





## Brakleen® Non-Flammable Brake Parts Cleaner

The original BRAKLEEN – our strongest formula! Chlorinated formula quickly removes brake dust, brake fluid, grease and other contaminants from all types of brake systems including ABS. Cleans fast and dries faster!

05089	19 oz.	12/cs
05089T	19 oz.	12/cs
05090	1 gallon	4/cs
05091	5 gallon	1
05093	55 gallon	1



## Brakleen® Non-Chlorinated Brake Parts Cleaner ▲ 50-State Formula with Power Jet® Technology

The strongest 50-state formula available. Power Jet® technology provides a more powerful spray which blasts away brake dust, brake fluid, grease and oil while using less product and taking less time to clean.

05050	14 oz.	12/cs
05051	1 gallon	4/cs
05052	5 gallon	1
05053	55 gallon	1
05054	14 oz.	12/cs



## Brakleen® Non-Chlorinated Brake Parts Cleaner ▲

Use where compliance calls for a chlorine-free product.

05088	14 oz.	12/cs
05085	1 gallon	4/cs
05087	55 gallon	1
05186	5 gallon	1



## Brakleen® Non-Chlorinated Brake Parts Cleaner ▲

Use where compliance calls for a chlorine-free product.

05084	14 oz.	12/cs
05086	5 gallon	1



## Brakleen® Non-Chlorinated Ultra Low VOC Brake Parts Cleaner ▲

Formulated for SCAQMD Rule 1171 (South Coast California).

05151	14 oz.	12/cs
-------	--------	-------



▲This product is very flammable. Do not apply while equipment is energized.



### Questions about product compliance?

Visit [www.crcindustries.com](http://www.crcindustries.com) or call 800-307-8971 for the most current product compliance info by state.

As one of the world's leading manufacturers of chemical maintenance products, CRC has made a commitment to provide the best solutions for our customers. We can help you meet the challenges of today's highly regulated environment. CRC diligently monitors all regulatory developments regarding VOCs, chlorinated solvents, and other important issues affecting our products and our customers.



# Brake System Maintenance



## Silaramic® Brake System Grease

Protects all moving caliper hardware, mating surfaces and backing plates with the latest rust, oxidation and anti-wear additives to provide lasting protection against friction, wear and corrosion. Ideal for high performance or racing applications.

05361 5 oz. 12/cs  
05363 9 oz. tub 12/cs



## Disc Brake Quiet

Forms a water resistant, high temperature film that instantly absorbs vibrations and quiets disc brake noise. For use on the back of non-shimmed disc pads.

05016 4 fl. oz. tube 12/cs  
05017 9 oz. aerosol 12/cs▲



## De-Squeak™ Brake Conditioning Treatment ▲

Spray on rotors and drums on every brake job to eliminate and prevent brake noise. Metallic formula fills grooves in friction surfaces for smoother braking.

05080 11.25 oz. 6/cs



## Synthetic Brake & Caliper Grease

Synthetic grease prevents caliper binding, vibration and corrosion. Contains molybdenum, PTFE and graphite for an extreme temperature range of -40°F to 400°F. Use on every brake job!

05351 2.5 oz. tube 6/cs  
05352 1/3 oz. carded packets 12/cs  
05353 12 oz. tub 12/cs  
05359 8 fl. oz. bottle 6/cs  
SL3301 2.5 oz. tube 6/cs  
SL3302 1/3 oz. carded packets 12/cs  
SL3303 12 oz. tub 12/cs



## APPLICATION GUIDE

Lubricate all metal-to-metal contact points. Long-lasting grease will not freeze, melt or wash out, like silicone-based greases. For high performance or racing applications, choose Silaramic® Brake System Grease



Select the appropriate grease based on usage:  
daily driver, late-model spec,  
high performance or 4-wheel drive.

### Synthetic Brake & Caliper Grease or Silaramic®

caliper  
bolt & washer  
brake pads  
pin

### Synthetic Brake & Caliper Grease or Silaramic®

### Synthetic Brake & Caliper Grease

Lubricate backs of all shimmed disc pads. This will prevent corrosion and brake noise.

Clean and lubricate all shoe landings. This will ensure smooth operation of the shoes. Lubricate all parking brake hardware and shoe adjusters to prevent binding & corrosion.

### brake shoe guide

### adjuster assembly

### Disc Brake Quiet

Use on all non-shimmed disc pads.

### Synthetic Brake & Caliper Grease or Silaramic®

To prevent corrosion build-up, lubricate the underside of the rotor hat or the hub facia.

### Wheel Bearing Grease

### De-Squeak™ Brake Conditioning Treatment

Apply on new, freshly turned or existing friction surfaces. De-Squeak™ fills in imperfections that will affect the coefficient of friction.

### Wheel Bearing Grease

Clean and repack bearings with every brake job. Do not mix different grease bases.

### Freeze-Off® Super Penetrant

Super penetrant breaks through corrosion, gums and varnishes.

### Bräkleen®

Thoroughly clean brakes BEFORE disassembly. This will allow for proper inspection.

▲ This product is very flammable. Do not apply while equipment is energized.



## Freeze-Off® Super Penetrant ▲



Immediately drops the temperature of the area in direct contact with the spray. The freezing effect cracks rusted surfaces, allowing the lubricating solvent to penetrate faster and work more effectively than other penetrant products.

05002 11.5 oz. 12/cs



## White Lithium Grease ▲



A high purity, NLGI Grade 2 white lithium grease. Excellent water and heat resistance for use in any weather or temperature. Makes surfaces friction resistant and protects against corrosion. Ideal for metal to metal applications. Will not break down or run out.

05037 10 oz. 12/cs



## Chain Lube ▲



Advanced, high-performance, synthetic lubricant providing excellent protection for chains, open gears and exposed metal surfaces subject to severe loading. Sprays on like a liquid to penetrate deep, sets up like a grease for outstanding load-bearing protection.

05012 10 oz. 12/cs



## Knock'er Loose® Technician Grade Penetrant



Concentrated heavy-duty formula penetrates rust and corrosion. Leaves behind a long-lasting, fine film lubricant to protect against future corrosion.

401712 9 oz. 12/cs  
401724 18 oz. 12/cs



## Power Lube® Multi-Purpose Lubricant



All-in-one product quickly cleans, penetrates, lubricates, and protects against corrosion. Stops squeals and loosens rusted parts. Clings to surface to deliver long-lasting lubrication with less mess. Displaces moisture. Pleasant scent.

05005 9 oz. 12/cs  
05006 11 oz. 12/cs  
05007 1 gallon 4/cs  
05009 5 gallon 1 pail  
05011 55 gallon 1 drum



## Heavy Duty Silicone Lubricant ▲




Clear, non-staining film lubricates metal, rubber, nylon and wood to eliminate squeaks and binding caused by friction. Water resistant film perfect for applications exposed to the elements.

05074 7.5 oz. 12/cs  
05174 11 oz. 12/cs



## Garage Door Lube



Advanced, high-performance, corrosion-protecting lubricant generously fortified with silicone and PTFE for superior friction-reducing lubrication. Foaming action penetrates deep to promote smooth operation for rollup doors, automatic garage door drive chains and any exposed metal surfaces subject to severe loading.

05032 10 oz. 12/cs



## Copper Anti-Seize



General purpose anti-seize lubricant that prevents seizing caused by high temperature, heavy loads, vibrations and corrosion. Effective up to 1800°F. Available in brush-top cap or aerosol.

14095 12 oz. aerosol 12/cs▲  
SL35901 8 oz. 12/cs  
SL35903 16 oz. 12/cs



## Ultra Screwloose® Super Penetrant ▲



Super-fast, powerful, concentrated penetrating solvent. Attacks and penetrates tough rust, gum and corrosion on contact to free corroded fasteners and mechanical components.

05330 11 oz. 12/cs



## Sta-Plex™ Premium Red Grease ▲



Premium red grease with heavy-duty lubricant that withstands high temperature and high pressure. Red color allows for easy visual inspection of film coverage.

SL3192 11 oz. 12/cs



## Inner Slide Lube ▲



Lubricates and increases slide motion, extending forklift equipment life in automotive, heavy duty, farm, industrial, marine and shop applications. Fortified with molybdenum disulfide and extreme pressure additives to resist pound-out and prevent destructive metal-to-metal contact. Designed for forklift inner slide rails.

05305 10 oz. 12/cs



## Nickel Anti-Seize



Nickel-based formula that is free of copper, lead, sulfides and chlorides. This premium quality lubricant has extremely high temperature and excellent chemical resistance. Effective up to 2400°F. Available in brush-top cap or aerosol.

14097 12 oz. aerosol 12/cs▲  
SL35911 8 oz. 12/cs  
SL35913 16 oz. 12/cs

▲ This product is very flammable. Do not apply while equipment is energized.


# Parts Cleaners & Degreasers

**CRC**

## Engine Degreaser

Quickly dissolves and lifts off oil, grease and road grime from engines for cooler, more efficient running. Easy to use: spray on and rinse off. Leaves no residue.

05025 15 oz. 12/cs  
05025CA 15 oz. 12/cs



**CRC**

## Engine Degreaser Gel Formula

Penetrates and removes the most stubborn baked on engine greases and road grimes. Unique formula clings to all surfaces longer and penetrates deeper than conventional engine degreasers. Low VOC formula.

05026 15 oz. 12/cs




**CRC**

## Engine Degreaser Citrus Formula

Powerful citrus cleaning formula dissolves and lifts off the toughest grease and road grime. Low VOC formula.

05027 15 oz. 12/cs



**CRC**

## QC-82™ Pro-Strength Degreaser

Foaming water-based degreaser breaks down and dissolves grease, grime, oil, rubber marks and other oil-based contaminants. This formula was developed without free alkali, ammonia or caustics resulting in a mild pH, so it's safe on painted surfaces, plastics, vinyl and rubber. Cleans instantly, dries fast and leaves no residue.

05482 15 oz. 12/cs  
05483 20 oz. 12/cs  
05484 32 fl. oz. 12/cs



**CRC**


## Clean-R-Carb™ Carburetor Cleaner ▲

Instantly dissolves deposits on venturi, linkages, butterflies and PCV systems to improve fuel system performance and enhance fuel economy. Harmless to catalytic converters and oxygen sensors.

05079 12 oz. 12/cs  
05081 16 oz. 12/cs

50-State Formula. Meets ALL state and federal VOC regulations.

05379 12 oz. 12/cs  
05381 16 oz. 12/cs



**KW**

## Technician Grade Carburetor & Choke Cleaner ▲

Shop size, professional strength cleaner designed to maximize carburetor performance. Quickly dissolves carburetor deposits such as gum, sludge and varnish to improve fuel system performance and enhance fuel economy.

401924 19 oz. 12/cs



**CRC**

## Mass Air / Throttle Body Twinpack ▲

The right size for the job! Contains single-use sizes of both CRC Mass Air Flow Sensor Cleaner and CRC Throttle Body & Air-Intake Cleaner.

05111 1 - 4.5 oz. 6/cs  
1 - 5 oz.  
05610 4.5 oz. 12/cs  
05678 5 oz. 12/cs



**CRC**

## Mass Air Flow Sensor Cleaner ▲

The original MAF sensor cleaner. Safely cleans and protects MAF sensors. Dyno proven to increase horsepower and improve air/fuel ratio. Reduces rough idle, hesitation and pinging. Improves fuel mileage. Plastic safe, leaves no residue.

05110 11 oz. 12/cs  
05610 4.5 oz. 12/cs



**CRC**

## Throttle Body & Air-Intake Cleaner ▲

Cleans air-intakes, throttle valves, throttle bodies and linkages on fuel-injected gasoline engines (both throttle body and multi-port). Safe for use on coated throttle bodies. Low VOC formula.

05078 12 oz. 12/cs  
05678 5 oz. 12/cs



**CRC**

## TYME® 1 Carburetor & Cold Parts Cleaner

Two-phase, water-rinsable, cold tank liquid parts cleaner. Quickly removes carbon, varnish, and grease from aluminum and other metals. Non-corrosive, non-flammable.

14101 1 gallon 4/cs  
14104 5 gallon 1



**CRC**

## Parts Washer Solvent

Cleaning solvent for metal parts, most plastics, and painted surfaces. Instantly removes grease, oil, dirt, and other contaminants.

05067 5 gallon 1 pail



▲ This product is very flammable. Do not apply while equipment is energized.



## Battery Cleaner with Acid Indicator

Yellow foaming cleaner instantly detects acid leaks and turns pink upon acid contact. Neutralizes acid and effectively cleans terminals, connectors, cases and hold downs. Penetrates and removes corrosion allowing for maximum current flow.



05023 11 oz. 12/cs  
05623 5 oz. 12/cs



## Battery Terminal Protector ▲

Lead-free, long-lasting red film coating. Protects battery terminals, cables and bulkhead connectors from corrosion, a leading cause of hard starting and battery failure.



05046 7.5 oz. 12/cs  
05646 3 oz. 12/cs



## Single Use Battery Maintenance Twin Pack ▲

CRC Battery Cleaner instantly detects leaks and neutralizes acid. Removes corrosion by-products. Just spray on and rinse off. CRC Battery Terminal Protector is specially designed to protect battery terminals from corrosion, a leading cause of hard starting and battery failure.



05647 1 - 5 oz. 6/cs  
1 - 3 oz.



## QD® Electronic Cleaner Quick Dry Cleaner ▲

Instantly penetrates hard-to-reach areas to safely dissolve dirt and debris from sensitive electronic components. Cleans contacts, connectors and sensitive electronic equipment. Helps prevent contact failure. Quick drying, plastic safe formula leaves no residue.



05103 11 oz. 12/cs  
05101 4.5 oz. 12/cs



## Wire Dryer

Starts wet engines and instantly drives out moisture that can cause electrical failure and hard starting. Cleans and weatherproofs all electrical system parts. Waterproof film leaves a fine protective coating on ignition and electrical systems. Reduces wear and ensures proper electrical current flow.



05104 6 oz. 12/cs



## Duster™ Moisture-Free Dust & Lint Remover

Quickly and safely blasts away dirt, dust, lint and other contaminants from any surface. Ideal for sensitive electronics. Penetrates hard-to-reach cracks and crevices that normal hand-dusting cannot reach.



05185 8 oz. 12/cs



## Dielectric Grease

Seals, protects and insulates electrical contacts and bulbs. Prevents corrosion by repelling moisture, dirt and oils that can penetrate and harm electrical connections. Precision Tip Applicator applies a thin stream of grease directly on the work area. Improves electrical performance by reducing arcing and voltage drop.



05109 .5 oz. 12/cs



## Technician Grade Dielectric Grease

Seals, protects and insulates. Maintains optimum electrical connections in extreme conditions. Patented delivery system is great for hard-to-reach places.



05113 3.3 oz. 12/cs



## Lectra-Motive® Electric Parts Cleaner\*

Designed specifically for cleaning energized electrical equipment. Non-flammable formula quickly degreases and removes oil, dirt, and wax and other foreign matter that may cause electrical failure. Evaporates quickly and leaves no residue. Non-conductive and non-staining.



05018 19 oz. 12/cs  
05019 1 gallon 4/cs  
05024 55 gallon 1



## Bulb & Connector Dielectric Grease

A unique, non-curing compound used for sealing, protecting & electrical insulating. Improves electrical performance by reducing arcing, voltage drop & other conditions. Also ideal for lubrication plastic & rubber.



05107 .28 oz. card 12/cs



## VisiClear® Display Cleaner & Electronic Screen Cleaner

Streak-free foam cleaner clings, won't drip, and is alcohol and ammonia free. Will not damage screen protective coatings. Use on plasma/LCD displays, touchscreens, computers, cell phones and PDAs, GPS screens and CRT monitors. Leaves no residue and dries fast.



05131 6.9 oz. 12/cs

\* Designed to clean electrical equipment where cleaning is accomplished when electrical current exists or when there is a residual electrical potential from a component. For energized equipment use only. Not to be used for motorized vehicle maintenance or their parts

▲ This product is very flammable. Do not apply while equipment is energized.

# Complete Fuel System Maintenance



## GDI IVD® Intake Valve & Turbo Cleaner



CRCGDI.COM

### Proven to clean intake valves on GDI engines and turbo systems

Removes carbon deposits in GDI engines where fuel additives don't reach the intake valves. Easily installed through the air intake system. Dissolves and lifts deposits from valve stems and tops without costly, labor-intensive top engine disassembly. Increases power and torque—gains up to 13HP. Stabilizes rough idle, hesitation and stalling. Improves airflow and MPG.

- **Highest Concentration PEA (Polyether Amine) Detergency Available**
- **PROVEN to Remove up to 46% of GDI Intake Valve Deposits in 1 Hour**
- **150X More Concentrated Than Fuel Additives**

In conventional PFI engines, gasoline washes over the intake valves so minimal deposits form. In GDI engines, fuel never reaches the back of the valve. Oil drips down the valve stem and burns onto the back of the valve. Proper valve seating is obstructed by carbon build up. Within 5,000-10,000 miles, carbon build up causes hard starts, rough idle, poor acceleration, reduced fuel economy, excess emissions and power loss. Cleaning is needed every 10,000 miles or at every oil change.

Safe for turbos, intercoolers and all gasoline engines.

CRCGDI.COM

05319 11 oz. 12/cs



## 1-TANK Power Renew® Complete Fuel System Cleanup

CRC1TANK.COM

### FOR GASOLINE ENGINES:

#### Reclaim lost power, performance and MPG.

A concentrated one-tank fuel additive that delivers a powerful shock to dirty fuel systems. Only needed 4x per year. Proven results after the first use!

- **Highest Concentration PEA (Polyether Amine) Detergency Available**
- **97% Power Recovery PROVEN**
- **5.7% Average MPG Increase PROVEN**
- **100% Misfire Recovery PROVEN**
- **99% Better Injector Flow Recovery PROVEN**
- **Treats Up To 25 Gallons of Gasoline**
- **Lasts 4,000 miles**
- **Money Back Guarantee**

### Restores Fuel System to LIKE-NEW:

- Reduces engine knock, ping and run-on
- Restores lost engine performance
- Reduces the need for higher octane fuels
- Easier cold starts, faster acceleration and better airflow
- Works in gasoline and ethanol blends

### Gasoline Formula:

05815 15 fl. oz. 6/cs



### FOR DIESEL ENGINES:

The most powerful diesel fuel system cleaner on the market. Excellent cleanup for the sticky injectors frequently found in modern common rail systems.

- **Intensive Diesel and Emissions Systems Cleanup**
- **Cleans INSIDE the injectors and prevents internal diesel injector deposits (IDID)**
- **100% Deposit Removal PROVEN**

### Diesel Formula:

05816 15 fl. oz. 6/cs

05832 31 fl. oz. 6/cs



## Mass Air Flow Sensor Cleaner ▲

The original MAF sensor cleaner. Safely cleans and protects MAF sensors. Dyno proven to increase horsepower and improve air/fuel ratio. Reduces rough idle, hesitation and pinging. Improves fuel mileage. Plastic safe, leaves no residue.

05110 11 oz. 12/cs

05610 4.5 oz. 12/cs



## Throttle Body & Air-Intake Cleaner ▲

Cleans air-intakes, throttle valves, throttle bodies and linkages on fuel-injected gasoline engines (both throttle body and multi-port). Safe for use on coated throttle bodies. Low VOC formula.

05078 12 oz. 12/cs

05678 5 oz. 12/cs



▲ This product is very flammable. Do not apply while equipment is energized.





## Fuel Injector & Carburetor Cleaner

Cleans dirty fuel injectors and carburetors. With regular use, eliminates hard starts, rough idling, dieseling, engine run-on, knocks, pings and excessive emissions.

05061 12 fl. oz. 12/cs



## STOR & GO® Ethanol Fuel Treatment & Stabilizer

Protects all gas-powered 2- and 4-cycle engines from the harmful effects of ethanol. Helps prevent phase separation, protects against corrosion, cleans the fuel system, stabilizes fuel and restores power. 1 oz treats 10 gallons for in-season protection. 1 oz treats 5 gallons for storage. Stabilizes fuel for 24+ months.

06141 8 fl. oz. 12/cs

06142 16 fl. oz. 12/cs

06143 32 fl. oz. 6/cs



## Octane Boost

Increases horse-power and torque while adding lubricity to the fuel system. Protects against valve recession. Decreases NOx and carbon monoxide emissions.

05077 12 fl. oz. 12/cs



## Premium Fuel Injector Cleaner

Meets BMW fuel injector cleaning specifications. Prevents rust and corrosion. Reduces the need for high octane fuels.

05062 12 fl. oz. 12/cs



## Stor-X® Fuel Stabilizer

Super-concentrated formula keeps fuel fresh up to one year. Stabilizes fuel by inhibiting varnish, peroxide and gum development in gasoline and diesel fuel during storage.

402815 8 fl. oz. 12/cs



## For Gas Tanks Water Remover (Isopropanol Formula)

Removes water from gasoline and protects fuel to -50°F. Inhibits rust in fuel tank and prevents fuel line freezing. Assures quicker starting and faster pick-up. Recommended use: 3-4 times a year.

05343 12 fl. oz. 12/cs



## Super Turbo™ Fuel Injector Cleaner

Increases power and acceleration, cleans fuel injectors, improves fuel economy and reduces knocking. Disperses water. Reduces harmful emissions.

402111 12 fl. oz. 12/cs



## Guaranteed To Pass®

### Emissions Test Formula



## Guaranteed to Pass® Reduces Emissions and Improves Performance in One Tankful

Pass your emissions test or double your money back! CRC Guaranteed To Pass® removes harmful gums and varnish from carburetor and emission control components. Reduces CO, HC and NOx emissions to guarantee a passing emissions test and reduces the need for expensive high octane fuel. Super-cleans fuel injectors, intake valves and combustion chamber to increase MPG, promote easier starts, faster acceleration and better airflow. Maximum allowable cleaning chemistry for superior results. Recommended every 3,000 miles. Works with all gasoline and ethanol-blended fuels.

05063 12 fl. oz. 12/cs



05863 6-Unit Display 1/cs



## Salt Terminator® Engine Flush, Cleaner & Corrosion Inhibitor



### CLEANS & PROTECTS ANYTHING EXPOSED TO SALT

Saltwater, salt air and road salt can lead to rust, corrosion, vehicle damage and costly repairs. Salt Terminator dissolves destructive salt debris that can't be removed by water alone and leaves a protective coating, guarding against future corrosion. Regular maintenance with Salt Terminator can help extend the life of vehicles, trailers, tools, gear and equipment.

Lab-tests show Salt Terminator excels at removing heavy salt deposits without leaving behind a spotty residue like other similar products.

Spray on Salt Terminator to clean and protect virtually any surface. Or, use the mixer unit with any of the concentrate formulas. It automatically dilutes the concentrate and siphons it through a standard garden hose. No scrubbing or rinsing required. Biodegradable.

SX10	12 fl. oz.	12/cs
SX22	22 fl. oz.	12/cs
SX32	32 fl. oz.	7/cs
SX32M	32 fl. oz. w/ mixer	6/cs
SX128	1 gallon	6/cs
SX55	55 gallon	1*
SXMXR	mixer only	12/cs



## Rubberized Undercoating ▲

Provides a bubble-free, flexible shield against moisture, salt and road debris. Deadens outside road noise and will not crack or peel. Low VOC formula.

05347 16 oz. 12/cs



## Rust Converter

Fast-drying milky-white vinyl/acrylic coating stops rust in its tracks. Neutralizes rust and converts it to a tough primer in one easy step. Apply to any rusted metal surface. Non-flammable and contains no known carcinogens like other competitive products.

18418 32 fl. oz. 12/cs  
18419 gallon 4/cs



## Zinc-It® Instant Cold Galvanize

Forms a tough, 93% pure zinc coating to fight rust and corrosion. Provides protection of hot dip galvanize with on-the-job convenience. Leaves a flat gray paintable finish on surfaces.

05048 13 oz. 12/cs s  
18413 1 gallon 1



## Bright Zinc-It® High Shine Instant Cold Galvanize ▲

A light duty corrosion inhibitor and sacrificial coating that protects ferrous metals from oxidizing. Creates a barrier film between the environment and the base metal to prevent formation or spread of corrosion. Use on threads, fasteners, conduit, welds, railings, grates, doors, trailers, guard rails, more.

18414 13 oz. 12/cs



## Jump Start® Starting Fluid with Lubricity ▲

Improves cold or humid starts on gasoline or diesel engines. Effective to -65°F.

05671 11 oz. 12/cs



## Ice-Off® Spray De-Icer ▲

Melts ice, snow and frost from windshields on contact. Thaws frozen locks and is effective to sub-zero temperatures.

05346 12 oz. 12/cs



\*Made to order, call for more information ▲ This product is very flammable. Do not apply while equipment is energized.



## Glass Cleaner

Cleans glass, mirrors without leaving a film or streaks. Foaming ammonia power works before you wipe! Cuts through dirt, dust, fingerprints and haze leaving a streak-free shine.


05401 18 oz. 12/cs



## Tannery® Leather, Vinyl & More... Revitalizer & Conditioner

Conditions, protects and preserves leather, vinyl and rubber. Helps guard against harmful sunlight and extreme temperature.

40173 10 oz. 12/cs



## Tannery® Vintage™ Leather Cleaner & Conditioner

Cream leather cleaner and conditioner with aloe vera and glycerin to help hydrate leather, making it supple and smooth. Prevents drying and cracking due to sunlight and extreme weather.

40144 10 oz. 12/cs



## Natural Degreaser™ Citrus Based Degreaser

Naturally formulated degreaser. No rinsing necessary. Leaves no sticky residue. Non-corrosive and effective for use on all metals.

14005 16 oz. 12/cs



## RTV Silicone Adhesive & Sealant

Pressurized tubes:

14055 Clear	6.5 oz.	12/cs
14056 White	6.5 oz.	12/cs
14057 Blue	6.5 oz.	12/cs
14059 Red	6.5 oz.	12/cs
14072 Black	6.5 oz.	12/cs

Caulk-type cartridges:

14073 Clear	10.1 fl. oz.	12/cs
14074 White	10.1 fl. oz.	12/cs
14075 Red	10.1 fl. oz.	12/cs
14079 Gray	10.1 fl. oz.	12/cs



## Minute Mend™ Epoxy Putty

Use for patching or repairing wood, metal, fiberglass and plastic. Bonds to wet or dry surfaces, even under water. Ready to use in less than one minute. Can be tapped, sawed, drilled, stained or painted.

14070	4 oz.	24/cs
14071	2 oz.	40/cs



## HydroForce® Glass Cleaner Professional Strength

Quickly cuts through the toughest dirt, dust, fingerprints and haze without streaking. Foaming agent provides greater coverage and less run-off on vertical surfaces.

14411	32 fl. oz. trigger	12/cs
14412	18 oz. aerosol	12/cs
14413	1 gallon	4/cs
14427	55 gallon	1*



## HydroForce® Stainless Steel Cleaner & Polish

Exclusive ultra shine formula. Eliminates dirt, dust, fingerprints and watermarks. Leaves behind a non-greasy protective barrier to resist return of stains and water spots.

14424 18 oz. 12/cs



## HydroForce® Super Citrus™ Heavy Duty Degreaser

Naturally formulated degreaser with the superb cleaning power of citrus. Leaves no residue.

14440	15 oz. aerosol	12/cs
14441	1 gallon	4/cs
14442	5 gallon	1
14443	55 gallon	1



## HydroForce® All Purpose Degreaser

Breaks-up and lifts off grease, oil and dirt deposits. Cleans up to three times the surface area of competitive degreasers.

14406	18 oz. aerosol	12/cs
14407	32 fl. oz. trigger	12/cs
14408	1 gallon	4/cs
14409	5 gallon	1
14410	55 gallon	1



## HydroForce® Butyl-Free All Purpose Cleaner

Concentrated formula. Butyl-free, biodegradable, non-corrosive, non-abrasive cleaner. Non-flammable. Safe on most plastics.

14405	18 oz. aerosol	12/cs
14401	32 fl. oz. trigger	12/cs
14402	1 gallon	4/cs
14404	5 gallon	1
14405	55 gallon	1



## HydroForce® Zero VOC General Purpose Cleaner

Strong enough to attack and remove tough dirt and grime. Safe enough for all daily cleaning tasks. Moderate pH, zero VOC.

14446	32 fl. oz. trigger	12/cs
14447	1 gallon	4/cs
14449	55 gallon	1



\*Made to order, call for more information

▲This product is very flammable. Do not apply while equipment is energized.

## Identify your vehicle's leak

K&W offers a complete line of Stop Leak products for aging vehicles that will get you back on the road fast. K&W leak solutions are affordable and effective alternatives to costly repairs and parts replacements. We know that sometimes you just need to keep an older car running, and the cost of the repair can exceed the value of the vehicle itself. When used properly and in the right circumstances, K&W Stop Leak products can save you both time and money!

Use the diagram below to help identify your type of leak.

### Common Symptoms

Bubbles in the recovery tank, venting from the cap 


**HEAD GASKET & BLOCK**

Temp. warning light on or temp. gauge is at high level 

**HEAD GASKET & BLOCK**

Greasy film on inside of windshield, worse with defrost turned on 

**HEAD GASKET & BLOCK**

Milky or milkshake-like substance on your oil fill cap or on the dipstick 

**HEAD GASKET & BLOCK**

### Smells

Smell a "sweet" or "funky" odor inside or outside your car 

**HEAD GASKET & BLOCK**

Colored liquid dripping on passenger floor from under dash 

**HEAD GASKET & BLOCK**

Oily smelling smoke from under hood after vehicle is shut off 


**ENGINE**




### Leaks

Bright colored fluid on the ground, slippery to the touch; compare to coolant in recovery tank 


**HEAD GASKET & BLOCK**

Oily black/brown puddle under engine 


**ENGINE**

Excess oil usage between oil changes resulting in low oil level 

**ENGINE**


Oily, pink, red or clear fluid leaking toward the front, behind the front wheels and forward 

**POWER STEERING**

Oily red or pink fluid under vehicle with an automatic transmission 

**AUTOMATIC TRANSMISSION**

### Smoke


Green water dripping from exhaust with white "smoke" or steam when warm 

**HEAD GASKET & BLOCK**

Puff of blue smoke on start-up or excess smoke on deceleration 

**ENGINE**


### Noises

Ticking or knocking sounds coming from the engine 

**ENGINE**

Whining sound and vibration when steering the vehicle 

**POWER STEERING**

Banging, hard shifting, slipping 

**AUTOMATIC TRANSMISSION**

Not just for passenger cars! K&W Stop Leak products may be used in gasoline and diesel engines, including cars, trucks, buses, heavy trucks, construction and farm equipment.

## Get the best results

To ensure that you get the best results, it is very important to read all label instructions thoroughly before using any products in your vehicle. K&W products are proven to perform, and we guarantee results with our Money Back Guarantees.



HEAD GASKET & BLOCK



### FiberLock<sup>®</sup> Head Gasket & Block Repair

**Easy Pour and Go Formula!**  
**Permanent • Under 30 Minute Repair**  
**Double Money Back Guarantee**



- Permanently fixes head gaskets, engine blocks, cooling systems and cylinder heads
  - Contains 3 unique technologies
    - Military-Strength Fibers create multi-layer repair over crack with a web-like weave
    - Nanotechnology allows for smallest cracks and crevices to be fixed
    - Cool-X Conditioner lowers operating temperature as it circulates through cooling system
  - Seals larger holes with less fluid loss than competitive products as proven by Independent lab test (ASTM D3147)
  - Works with all antifreeze or plain water
- 401224-6                      32 FL. OZ.                      6/CS

HEAD GASKET & BLOCK



### Permanent Head Gasket & Block Repair

**With NANOTECHNOLOGY**  
**Permanent • Professional Repair**  
**Double Money Back Guarantee**



- Nanotechnology provides the tightest molecular bond available; nanoparticles fill cracks and crevices in metals and plastics that other products can't
  - Flexible fibers maintain repair during expansion and contraction of cooling system
  - Does not rely on cooling system pressure to maintain a seal. Withstands extreme pressure and heat. Will not break away or wash out. Exceeds ASTM D6107.
  - Immediate permanent repair that cures in 1/2 the time of other leading brands
- 401232                      32 FL. OZ.                      6/CS

HEAD GASKET & BLOCK



### Block Seal Permanent Metallic™ Block & Radiator Seal

**Permanent • Professional Repair**  
**Money Back Guarantee**

**Trusted  
Formula  
Since  
1938**

- Permanent molecular seal that's as strong as steel
  - Seals cracks & holes in cast iron and aluminum engine blocks, head gaskets, freeze plugs, and copper, aluminum and bi-material radiators & heater cores
  - For use in all water-cooled diesel and gasoline vehicles
  - Withstands extreme pressure and temperatures of a cooling system and will not wash away
  - Professional grade formula exceeds ASTM D6107 for effectively sealing leaks in cooling systems
- 401016                      16 WT. OZ.                      12/CS

# Transmission Maintenance



## Trans-X® Automatic Transmission Stop Leak & Tune Up

Effectively repairs leaks in automatic transmissions. Prevents premature failure, future leaks and extends transmission life. Powerful cleaning agents remove sludge, gums and varnish. Use to condition ATF and power steering fluids.

402015X6 15 fl. oz. 6/cs  
402033X6 32 fl. oz. 6/cs



## Trans-X® High Mileage Transmission Treatment

Scientifically developed for vehicles with 75,000 miles or more. High-tech formula repairs leaks and extends transmission life. Stops and prevents leaks and restores smooth shifting.

402916X6 16 fl. oz. 12/cs



## Trans-Kleen™ Automatic Transmission Treatment

Cleans harmful gums and varnishes while you drive. Smooths shifting and eliminates hesitating, creepage, and between-speeds lurching.

05332 12 fl. oz. 12/cs



# Power Steering Maintenance



## Steer-X™ Power Steering Stop Leak

Quickly stops leaks in all domestic, imported and heavy-duty power steering systems. Conditions dried and hardened seals and prevents against future leaks. Renews seal in rack and pinion.

403015X6 15 fl. oz. 12/cs



## Power Steering Fluid

Meets specs of Ford, GM, and most important manufacturers.

SL2631 15 fl. oz. 12/cs  
SL2633 1 gallon 4/cs



# Cooling System Maintenance



## 7 Minute Rapid Flush Cooling System Cleaner

Revitalizes cooling efficiency. Removes harmful rust, scum, oil and hard water scale. Contains no acids or chemicals harmful to radiators or cooling systems.

401320X6 11 fl. oz. 12/cs



## Instant Cooling System Stop Leak

Just pour and go! One-step permanent repair fixes radiators, head gaskets, engine blocks, heater cores, and freeze plugs. Won't clog cooling systems. Compatible with all types of antifreeze and coolant. Double money back guarantee!

401214X6 11 fl. oz. 12/cs



## RevitaCool™ Coolant Boost

TEA surfactant technology prevents overheating, eliminates hot spots and reduces operating temperatures by up to 20°F for improved engine performance. Exceeds ASTM D2570 and ASTM D1384 corrosion tests. Prevents scale and electrolysis..

401322X6 11 fl. oz. 12/cs





## Motor Treatment



Multi-system treatment cleans gum, varnish and carbon from the fuel system, injectors, pistons, and combustion chamber. Removes moisture from fuel and oil systems and lubricates engine components. For use in gasoline, diesel, ethanol and motor oil. Pour into fuel system, induce directly into combustion chamber via main manifold vacuum line and add to crankcase.

05316 16 fl. oz. 12/cs



## Top Engine Cleaner ▲



Cleans intake system, valves and combustion chamber for improved engine performance. Increases MPG, restores power and reduces emissions. Solves many rough-idle problems. Spray into throttle body. To prevent future carbon build-up and improve engine efficiency, use every 5,000 miles.

05312 12 oz. 12/cs



## Technician Grade Gasket Remover



Fast-acting formula. Quickly removes gasket cement, sealers and paint. Eliminates excessive scraping and cleaning.

05021 12 oz. 12/cs



## Copper-Coat® High Temp Gasket Compound



Goes on tacky to hold gaskets firmly in place. Contains copper for long-lasting and high temperature applications.

401504 4 oz. dauber 12/cs  
401612 9 oz. aerosol 12/cs ▲



## Belt Conditioner ▲



Eliminates noise and extends belt life. For use on all types of belts, such as serpentine, flat and v-type belts. Prevents slippage and glazing. Belt must be clean and dry before applying. Use every 3,000 miles to prevent drying out and slippage.

05350 7.5 oz. 12/cs



## Fast Motor Flush™ 5-Minute Engine Cleaner



Removes power-robbing sludge, gum, rust and varnish deposits allowing oil to flow freely to all parts of the engine. Freeing sticking valves, lifters and piston rings. For use in gas and diesel engines. Use before every oil change.

402718X6 30 fl. oz. 6/cs



## Super Turbo™ Engine Oil Stop Leak



Creates a leak-free system in 500 miles or less. Stops engine oil leaks by rejuvenating worn or aged engine seals, valve cover gaskets, timing gear gaskets and other seals found in today's high-tech engines. Compatible with all motor oils. Easy to use.

402715X6 15 fl. oz. 12/cs



## Extreme Pressure Engine Assembly Lube and Anti-Seize



Prevents friction, galling and wear on all types of engine components during assembly, start-up and break-in periods.

SL3331 10 oz. tube 6/cs  
SL3333 2.75 oz. tube 12/cs



## Friction Guard™ For Oil



Concentrated friction reducer allows pistons to move freely inside the combustion chamber. Reduces wear and scoring on cylinder wall and prevents compression leaks. Enhanced with anti-wear and anti-corrosion additives, detergents and seal conditioners. Improves deposit control, especially on GDI engines.

05818 6 fl. oz. 12/cs



## Valve-Kleen™ Oil Treatment Valve & Lifter Cleaner



Dissolves sludge, gum and varnish on valves, lifters and oil passages and prevents new deposits from forming.

05331 12 fl. oz. 12/cs

▲ This product is very flammable. Do not apply while equipment is energized.



## New Generation™ Disc & Drum Brake Wheel Bearing Grease

Meets late-model high-tech specifications. NLGI-2 GC-LB lithium complex base. Wide temperature range of -40°F to 325°F. Use on late-model wheel bearings, chassis and suspension points.

SL3110	14 oz. cartridge	10/cs
SL3111	14 oz. can	12/cs



## Marine Grease Boat Trailer and 4X4 Grease

Excellent water resistance. NLGI-2 aluminum complex base for 4WD and boat trailer wheel bearings. Drop point: 500°F.

SL3120	14 oz. cartridge	10/cs
SL3121	14 oz. can	12/cs
SL3125	35 lb. pail	1
SL3127	120 lb. keg	1
SL3184	3 oz./3 per card	6/cs



## Heavy-Duty Drum Brake Wheel Bearing Grease

For drum brakes and slow speed bearings. NLGI-2.5 sodium base. Ideal for use where heavy loads and slow speeds are prevalent. Drop point: 360°F.

SL3131	14 oz. can	12/cs
SL3136	7 lb. tub	1



## Moly-Graph® Extreme Pressure Grease

Molybdenum and graphite establish a fine micron plating on all surfaces. Lithium base NLGI-2 grease with drop point of 350°F. Great for use on ball joints, chassis points, bushings and roller bearings.

SL3330	14 oz. cartridge	10/cs
SL3141	14 oz. can	12/cs
SL3144	3 oz./3 per card	6/cs
SL3145	35 lb. pail	1
SL3146	7 lb. tub	4/cs



## Super White™ Multi-Purpose Grease

Contains anti-wear and anti-friction additives. Lithium base NLGI-2 grease with drop point of 350°F. Perfect for light duty applications where appearance matters.

SL3150	14 oz. cartridge	10/cs
SL3151	14 oz. can	12/cs
SL3360	10 oz. tube	6/cs
SL3361	1.75 oz. tube	24/cs
SL3155	35 lb. pail	1



## Hi-Temp Disc Brake Wheel Bearing Grease

For high temperature, high speed bearings. NLGI-2 aluminum complex base. For use on disc brake systems, chassis points and suspension systems. Drop point: 500°F.

SL3160	14 oz. cartridge	10/cs
SL3161	14 oz. can	12/cs
SL3165	35 lb. pail	1
SL3166	7 lb. pail	4/cs



## Sta-Plex™ Extreme Pressure Premium Red Grease

A superior multi-purpose certified lithium complex based NLGI-2 GC-LB grease. Contains extreme pressure, anti-wear, and anti-oxidation additives. Ideal for high temperature and performance applications. Drop point: 500°F.

SL3190	14 oz. cartridge	10/cs
SL3191	14 oz. can	12/cs
SL3195	35 lb. pail	1
SL3197	120 lb. keg	1



## Red Grease #2

Smooth, tacky, red lithium complex grease fortified with rust and oxidation inhibitors. Good water resistance, won't wash out. Great for sliding surfaces and open gears and for lubricating moving parts in mowers, reapers, water pumps, electric motors, ball and roller bearings, kilns, assembly plants, and truck applications.

SL3400	14 oz. cartridge	10/cs
--------	------------------	-------



## General Purpose Lithium Grease

Lithium base NLGI-2 grease designed for light duty applications. Use on motor bearings, pump bearings and light duty applications. Drop point: 350°F.

SL3310	14 oz. cartridge	10/cs
SL3311	14 oz. can	12/cs
SL3315	35 lb. pail	1
SL3317	120 lb. keg	1



## Synthetic Food Grade Grease

Performs extremely well in cold temperature applications as the base fluid exhibits a very low pour point. USDA H1 grease for use in food production and processing industries. This NLGI Grade 2 synthetic lubricant resists rust and oxidation. Water wash-down resistant.

SL35610	14 oz. cartridge	10/cs
SL35612	120 lb. keg	1*
SL35613	400 lb. drum	1*



## Multi Purpose Food Grade Grease

An aluminum complex premium grade USDA H1 grease for use in food production and processing industries. This NLGI Grade 2 multi-purpose lubricant is white in color and has a smooth buttery texture.

SL35600	14 oz. cartridge	10/cs
SL35605	35 lb. pail	1
SL35607	120 lb. keg	1*
SL35609	400 lb. drum	1*



## C.V. (Constant Velocity) Joint Grease

Protects against rust and oxidation with extreme pressure additives designed to sustain the shock loads encountered in CV joints.

SL3174	4 oz. tube	12/cs
--------	------------	-------

\*Made to order, call for information.



Product	Grease Type	NLGI Grade	Color	Operating Temperature Constant (Application Dependent)	Water Resistance	4 Ball Weld (Kg)	Timken OK Load	Additives
Sta-Lube® New Generation™ Wheel Bearing Grease for Disc and Drum Brakes	Lithium Complex	2	Amber	-40°F to 325°F	Very Good	250	50 lbs.	Extreme Pressure, Anti-Wear, Anti-Rust, Tackifier
Sta-Lube® Marine Grease for Boat Trailer Wheel Bearings	Aluminum Complex	2	Blue	0°F to 325°F	Excellent	NA	ND	Anti-Rust, Polymer Adhesives
Sta-Lube® Heavy Duty Drum Brake Wheel Bearing Grease	Sodium	2.5	Dark Amber	10°F to 250°F	Poor	NA	ND	Anti-Oxidant
Sta-Lube® Moly-Graph® Extreme Pressure Multi-Purpose Lithium Grease	Lithium	2	Dark Gray	-25°F to 250°F	Very Good	250	45 lbs.	Extreme Pressure, Molybdenum Disulfide, Anti-Wear, Anti-Rust, Anti-Oxidant
Sta-Lube® Super White Multi-Purpose Grease	Lithium	2	White	0°F to 300°F	Good	NA	25 lbs.	Whitening Agents, Anti-Rust, Anti-Oxidant, Anti-Wear
Sta-Lube® Hi-Temp Disc Brake Wheel Bearing Grease	Aluminum Complex	2	Dark Gray	0°F to 325°F	Excellent	315	60 lbs.	Rust and Oxidation Inhibitors, Anti-Wear, Extreme Pressure, Molybdenum Disulfide, Graphite
Sta-Lube® Sta-Plex™ Premium Red Grease	Lithium Complex	2	Red	-20°F to 325°F	Excellent	500	60 lbs.	Extreme Pressure, Anti-Wear, Anti-Rust, Anti-Oxidant, Tackifier
Sta-Lube® Red Grease #2	Lithium Complex	2	Red	-10°F to 325°F	Very Good	250	60 lbs.	Extreme Pressure, Anti-Rust, Anti-Oxidant
Sta-Lube® Lithium General Purpose Grease	Lithium	2	Amber	0°F to 250°F	Very Good	NA	ND	NA
Sta-Lube® Constant Velocity Joint Grease	Lithium	1	Dark Gray	10°F to 275°F	Good	ND	50 lbs.	Extreme Pressure, Anti-Wear, Rust and Oxidation Inhibitors
Sta-Lube® Engine Assembly Lube and Anti-Seize	Lithium	0.5	Dark Gray	0°F to 250°F	Good	NA	ND	Extreme Pressure Molybdenum Disulfide, Anti-Wear, Anti-Rust, Anti-Oxidant, Tackifier
Sta-Lube® Synthetic Brake & Caliper Grease	Silica	1.5	Black	-40°F to 400°F	Very Good	315	50 lbs.	Extreme Pressure, PTFE
CRC® Silaramic® Brake System Grease	Silicone	2	Silver	-50°F to 550°F	Excellent	NA	NA	Ceramics, Extreme Pressure, Corrosion & Oxidation Inhibitors

NA = Not Applicable ND = Not Determined

## Hand Cleaners



### Lanolin Cream Hand Cleaner

Hand soap. Removes grease, carbon, paints, tar, gasket cement and more. Fortified with lanolin, aloe vera, vitamin E, jojoba and wheat germ extract.



SL1211 14 oz. can 12/cs



### Pumice Hand Cleaner with Lemon Scent

Contains buffing grade pumice for deep scrubbing action plus lanolin to protect your skin.



SL1621 14 oz. can 12/cs



### Mechanix Orange™ Citrus Hand Cleaner with Pumice

Formulated with the natural power of citrus. Fine grade pumice quickly cleans away the toughest soils. pH balanced to be gentle on hands. Leaves hands fresh.



SL1712 16 fl. oz. 12/cs  
SL1719 1 gal. w/pump 4/cs



## GL-4 Multi-Purpose Gear Oil SAE 140

High quality gear oils with anti-rust, anti-oxidation and extreme pressure additives for maximum lubrication and protection.

SL24228 32 fl. oz. 12/cs  
SL24238 1 gallon 4/cs

## GL-4 Multi-Purpose Gear Oil 85W90

High quality gear oils with anti-rust, anti-oxidation and extreme pressure additives for maximum lubrication and protection.

SL24229 32 fl. oz. 12/cs  
SL24239 1 gallon 4/cs  
SL24259 5 gallon 1

## GL-5 PLUS New Generation™ Heavy Duty Limited Slip Gear Oil SAE 85W140

Excellent for use where seasonal temperatures fluctuate widely. Minimum viscosity change during service. Superior performance in extreme pressure and high load conditions.

SL2432 32 fl. oz. 12/cs  
SL2433 1 gallon 4/cs  
SL2435 5 gallon 1

## GL-5 PLUS New Generation™ Heavy Duty Limited Slip Gear Oil SAE 75W90

Protects against corrosion, seal damage, oxidation and wear. Provides better protection and extended drain intervals. Provides protection under both high speed/low torque and low speed/high torque conditions.

SL2462 32 fl. oz. 12/cs  
SL2463 1 gallon 4/cs

## GL-5 PLUS New Generation™ Limited Slip Gear Oil SAE 80W90

Thermally stable, high-quality, multi-purpose automotive and truck lubricant with extreme pressure properties. Especially suited for use in high performance differentials. Contains rust and corrosion inhibitors.

SL2472 32 fl. oz. 12/cs  
SL2473 1 gallon 4/cs  
SL2475 5 gallon 1

## SYN-GO® Multi-Grade Full Synthetic Gear Oils

High quality fully synthetic gear oils developed for daily and extreme use applications. Available in OEM Grade/Extended Service and Multi-Grade formulations. 75W140 OEM Grade meets and exceeds many OEM, military and SAE specs and lasts up to two times as long as conventional gear oils. Multi-Grade gear oils cover seven viscosity grades and also meet and/or exceed many OEM specs.

### Multi-Grade SAE 75W90

SL2482 32 fl. oz. 6/cs

### Multi-Grade SAE 75W140

SL2492 32 fl. oz. 6/cs

### OEM/Extended Interval 75W140

SL2495 32 fl. oz. 6/cs

SL2496 64 fl. oz. 4/cs



Product	SAE Number	VIS @ 40°C/104°F CST	VIS @ 100°C/212°F CST	Base	AGMA
Sta-Lube® GL-4 Multi-Purpose Gear Oil	85W90	200	17	Mineral Oil	5 EP USS 224
Sta-Lube® GL-4 Multi-Purpose Gear Oil	140	400	28	Mineral Oil	8 EP USS 224
Sta-Lube® GL-5 Plus New Generation™ Heavy Duty Gear Oil with Limited Slip	85W140	345	26	Mineral Oil	7 EP
Sta-Lube® GL-5 Plus New Generation™ Heavy Duty Gear Oil with Limited Slip	75W90	110	17	Mineral Oil	6 EP
Sta-Lube® GL-5 Plus New Generation™ Heavy Duty Gear Oil with Limited Slip	80W90	136	15	Mineral Oil	4 EP
Sta-Lube® Syn-Go® Synthetic Gear	75W140	156	25	Synthetic Fluid	5 EP



## Compressor Oil SAE 30

Solvent refined and clay filtered for long-lasting, anti-foul operation. A conventional oil.

SL22131 32 fl. oz. 12/cs  
SL22133 1 gallon 4/cs



## Universal 2-Cycle Oil

Minimizes plug fouling and sticking rings.

SL2261 15 fl. oz. 12/cs  
SL2262 32 fl. oz. 12/cs



## Soluble Oil

Improves cleaning and lubrication during metal cutting and grinding.

SL2512 32 fl. oz. 12/cs  
SL2513 1 gallon 4/cs  
SL2515 5 gallon 1



## Air Tool Oil SAE 10

Lubricates and protects air tools. Reduces rust, varnish and sludge.

SL2531 15 fl. oz. 12/cs  
SL2533 1 gallon 4/cs



## Honing & Cutting Oil

Reduces heat and friction to ease cutting and extend tool life.

SL2523 1 gallon 4/cs



## Bar & Chain Lubricant

Reduces wear and friction. Remains fluid in cold temperatures.

SL2612 32 fl. oz. 12/cs



## Hydraulic & Jack Oil SAE 20

Prevents foaming, rust, oxidation and seal swell.

SL2621 15 fl. oz. 12/cs  
SL2552 32 fl. oz. 12/cs  
SL2553 1 gallon 4/cs  
SL2555 5 gallon 1



## Differential Additives



## Trans-X® Posi-Trac® Limited Slip Gear Oil Additive

Maintains smooth operation of the limited-slip unit and reduces friction, wear and overheating while eliminating chatter. Meets GM, Ford and Chrysler specifications.

402508 7 fl. oz. 12/cs



## Equa-Torque® Differential Friction Modifier

Stops chattering, jerking and slipping on axles with traction equalizers, limited-slip and posi-traction differentials. Meets GM, Ford and Chrysler specifications.

SL2411 4 fl. oz. 12/cs  
SL2411B 4 fl. oz. 36/cs





## Fuel Therapy® Diesel Injector Cleaner Plus

Cleans injectors, disperses water, conditions & stabilizes fuel and lubricates fuel system for increased engine life. Increases power and fuel economy and reduces emissions. ULSD Approved. OK for Biodiesel fuels.

05212	12 fl. oz.	12/cs
05232	30 fl. oz.	12/cs
05228	1 gallon	4/cs
05225	5 gallon	1
05255	55 gallon	1*



## Fuel Therapy® Diesel Injector Cleaner with Anti-Gel

Prevents diesel fuel from gelling in cold temperatures. Lowers pour point by as much as 35°F. Cleans injectors and helps restore spray pattern for more efficient combustion. ULSD Approved. OK for Biodiesel fuels.

05412	12 fl. oz.	12/cs
05432	30 fl. oz.	12/cs
05428	1 gallon	4/cs
05425	5 gallon	1
05455	55 gallon	1



## Cold Flow™ Diesel Anti-Gel with Lubricity

Prevents fuel from gelling by lowering pour point by as much as 40°F. Disperses water and contains lubricity additives for low sulfur fuels. ULSD Approved. OK for Biodiesel fuels.

05612	12 fl. oz.	12/cs
05632	30 fl. oz.	12/cs
05655	55 gallon	1

Product	SKU	Net Contents	For Preventive Maintenance Treats:	For Pre-Existing Conditions Treats:
CRC Fuel Therapy® Fuel Injector Cleaner Plus	05212	12 fl. oz.	35 gallons	8 gallons
	05232	30 fl. oz.	125 gallons	50 gallons
	05228	1 gallon	500 gallons	200 gallons
	05225	5 gallon	2,500 gallons	1,000 gallons
	05255	55 gallon	27,500 gallons	11,000 gallons
CRC Fuel Therapy® Fuel Injector Cleaner with Anti-Gel	05412	12 fl. oz.	35 gallons	8 gallons
	05432	30 fl. oz.	125 gallons	50 gallons
	05428	1 gallon	500 gallons	200 gallons
	05425	5 gallon	2,500 gallons	1,000 gallons
	05455	55 gallon	27,500 gallons	11,000 gallons
CRC Cold Flow™ Anti-Gel with Lubricity	05612	12 fl. oz.	125 gallons	75 gallons
	05632	30 fl. oz.	500 gallons	125 gallons
	05655	55 gallon	55,000 gallons	27,500 gallons



## Quick Flow™ Emergency Diesel-Gel Relief

Reliquefies gelled fuel in minutes! Totally disperses water and lowers pour point by as much as 35°F. Prevents future gelling since it contains anti-gel. ULSD Approved. OK for Biodiesel fuels.

05911	30 fl. oz.	12/cs
05928	1 gallon	4/cs



## 1-TANK Power Renew® For Diesel

A concentrated one-tank cleanup for dirty fuel systems. Formulated with the maximum available chemistry, it's the most powerful diesel fuel system cleaner on the market. Excellent cleanup for the sticky injectors frequently found in modern common rail systems.

05816	15 fl. oz.	6/cs
05832	31 fl. oz.	6/cs



## Bio-Con™ Sludge Sediment Remover

Removes sludge sediment caused by bacteria from diesel fuel and furnace oils and improves fuel stability in storage.

05557	12 fl. oz.	12/cs
05558	5 gallon	1



## Diesel Dry™ Diesel Water Remover

Eliminates water and protects engine against damage caused by water build-up. Minimizes smoke and improves fuel economy.

05670	12 fl. oz.	12/cs
-------	------------	-------



## Air Brake Anti-Freeze & Conditioner

Eliminates moisture accumulation and prevents air brake systems from icing up. Protects against corrosion in metal brake lines.

05532	32 fl. oz.	12/cs
05528	1 gallon	4/cs
05555	55 gallon	1



## Cetane Boost

Shortens the ignition lag time of the fuel charge, allowing diesel fuel to ignite earlier in the cycle. More complete combustion results in better performance and drivability. Contains 100% additive with no solvents. Boosts cetane up to 7 numbers for faster acceleration and MAX POWER!

05916	16 fl. oz.	12/cs
-------	------------	-------

\*Made to order, call for information.



## 6-56® Marine Multi-Purpose Lube



Clear, thin film lubricates and protects against wear and saltwater corrosion. Drives out moisture to help start wet engines. Loosens rusted parts. Contains no silicone components that can harm oxygen sensors.

06005	5 oz.	12/cs
06006	9 oz.	12/cs
06007	11 oz.	12/cs
06008	1 gallon	4/cs
06010	5 gallon	1 pail
06012	55 gallon	1 drum*



## Marine Degreaser Non-Chlorinated ▲



Foaming degreaser. Easily dissolves and removes grease and other contaminants from tools, gears, chains and other metal parts. Leaves no residue.

06020	14 oz.	12/cs
-------	--------	-------



## Dry Lube with PTFE Technology



Micro-thin film dries in seconds! Quickly penetrates and bonds to aluminum, metals, wood, rubber, plastic and more. Helps reduce friction and drag. Seals out moisture to help prevent mildew and corrosion.

06114	10 oz.	12/cs
-------	--------	-------



## Engine Tune-Up & Decarbonizer ▲



Breaks down carbon, varnish and other harmful deposits in the combustion chamber. Frees sticky rings. Dramatically improves power and performance. Solves many rough-idle or power loss problems. Contains no silicone. For all 2- and 4-cycle engines.

06121	13 oz.	12/cs
-------	--------	-------



## 6-56® Marine Multi-Purpose Lube Zero VOC



Odor-free, zero VOC alternative. Provides long-lasting, superior lubrication. Drives out moisture that can cause electrical failures and hard starting. Penetrates deep through rust and corrosion to loosen frozen parts. Contains no silicone components that can harm oxygen sensors.

06002	11 oz.	12/cs
-------	--------	-------



## Heavy Duty Corrosion Inhibitor ▲



Seals out salt air and moisture to prevent corrosion. Will not crack or craze. Flexible amber coating provides long-term protection for metal components, electrical connections, engine components, fasteners, steering and throttle linkages. Contains no silicone components that can harm oxygen sensors.

06026	10 oz.	12/cs
-------	--------	-------



## Marine Premium Dielectric Grease



A unique, non-curing compound used for sealing, protecting & electrical insulating. Improves electrical performance by reducing arcing & voltage drop. Also ideal for lubricating plastic & rubber. Improves electrical performance in adverse weather conditions. Patented finger-actuated delivery system for smooth, continuous coverage.

06113	3.3 oz	12/cs
-------	--------	-------



## Hypoid 90 Lower Unit Gear Lube



Extreme pressure gear oil manufactured with a highly refined base oil and a specially selected additives package designed to lubricate gears under high load conditions.

06441	10 fl. oz. tube	6/cs
-------	-----------------	------



## Engine Stor® Fogging Oil



Protects marine engines during seasonal storage. Clings to internal engine components to keep pistons, rings and cylinder walls corrosion free. Use injection can to fog Evinrude and Johnson motors 1990 and newer equipped with a maintenance valve.

06068	13 oz.	12/cs
06069	1 gallon	4/cs
06072	13 oz. (injection can)	12/cs



## Cleaner & Degreaser



Cleans and degreases marine engines and non-sensitive electrical parts and equipment in place. Breaks through tough grease on motors, gears, chains and other metal parts. Leaves no residue; non-flammable.

06019	19 oz.	12/cs
-------	--------	-------



## Fuel Stabilizer Gasoline & Diesel Formulas



Concentrated, high-potency formula keeps fuel fresh during storage and provides optimum performance year round.

Gasoline: 1 oz treats 5 gallons

06161	8 fl. oz.	12/cs
06162	16 fl. oz.	12/cs
06163	32 fl. oz.	12/cs
06164	1 gallon	4/cs

Diesel: 1 oz treats 10 gallons

06172	16 fl. oz.	12/cs
-------	------------	-------



## Pro-Strength Degreaser



Foaming water-based formula aggressive enough to break down and dissolve grease, grime, oil, rubber marks, and other oil-based contaminants while remaining gentle enough for gelcoats, painted and plastic surfaces.

06482	12 oz.	12/cs
-------	--------	-------

▲This product is very flammable. Do not apply while equipment is energized. \*Made to order, call for information.



## On & Off Hull & Bottom Cleaner

The #1 hull cleaner and strongest formula available. Works instantly to remove the toughest waterline stains, algae and barnacle stains, rust and gas exhaust stains. Not for use on painted surfaces. Use on fiberglass only. Will not harm gel coat.

MK2032 32 fl. oz. 12/cs  
MK20128 1 gallon 4/cs  
MK20550 55 gallon 1 drum



## On & Off Gel Hull & Bottom Cleaner

Unique viscous formula clings to the surface to remove stubborn scum lines and rust stains. Bold, blue color makes it easy to see where the product has been applied. Brush or roll onto fiberglass surface and rinse off. Pleasant scent.

MK3532 32 fl. oz. 12/cs  
MK35128 1 gallon 4/cs



## Aluminex™ Heavy Duty Pontoon & Aluminum Hull Cleaner

Maximum strength formula quickly removes the heaviest oxidation and eliminates waterline stains, lime deposits and algae stains. Not for use on painted surfaces.

MK3132 32 fl. oz. 12/cs  
MK31128 1 gallon 4/cs



## Aluminex™ Clean & Shine Aluminum Cleaner & Brightener

Dual-action formula specially designed to instantly clean and brighten aluminum hulls. With Safe Acid Technology™. Best results on surfaces with light to medium oxidation. Safe on anodized and painted aluminum.

MK3332 32 fl. oz. 12/cs



## Big Bully® Natural Orange Bilge Cleaner

Works instantly to emulsify oil, grease, gasoline and diesel fuel. Tough citrus cleaning power absorbs odors and leaves bilge areas clean and fresh. Self-cleaning formula is activated by the rolling action of the boat.

MK2332 32 fl. oz. 12/cs  
MK23128 1 gallon 4/cs



## Crystal Lakes™ Hull & Bottom Cleaner

Cleans and brightens while removing brown water stains, mold and algae stains, rust stains and more. Crystals mix with warm water to make a safe and economical hull cleaner. One container makes up to six gallons of cleaner.

MK7320 20 oz. 12/cs



## Cleaning Detail® Non-Skid Deck Cleaner

Cleans and brightens fiberglass, stainless steel, chrome, brass and aluminum. Removes dirt, grease, grime and chalking. Easy to use on most surfaces above the waterline. Great for non-skid decks, shower stalls and tubs.

MK2132 32 fl. oz. 12/cs



## Super Suds™ Boat Soap

Highly concentrated synthetic detergent. Non-streaking. Leaves no residue. Cleans away dirt and grime, leaving surfaces sparkling clean. Makes up to 64 buckets of wash. Will not strip wax. Biodegradable formula.

MK2232 32 fl. oz. 12/cs  
MK22128 1 gallon 4/cs



## Spray Away™ All Purpose Cleaner

Cleans grease, grime, oil, rain stains, fish blood and more. Great on virtually any surface. Heavy duty formula is four times stronger than most spray cleaning products. Non-flammable.

MK2832 32 fl. oz. 12/cs  
MK28128 1 gallon 4/cs



## Grease Away Engine Degreaser

Heavy duty engine degreaser. Formulated for outboards, inboards, stern drives, machinery and more. Spray on/rinse off. Contains no petroleum solvents.

MK5232 32 fl. oz. 12/cs  
MK52128 1 gallon 4/cs



## Roll Away™ Boat Wash

Water activated to clean and leave a shine on fiberglass hulls and decks. Extra strong formula works great on vinyl, formica, metal hardware, fenders, canvas and sails. Contains no phosphates. Biodegradable formula.

MK6532 32 fl. oz. 12/cs





## Mildew Stain Remover

Quickly removes even the toughest mildew and mold stains. Fine mist spray won't run, even on vertical surfaces. No scrubbing necessary. Just spray on, wipe off. Use on any vinyl or hard surface. Safe on boat covers and marine fabrics. Test for color fastness.

MK3732 32 fl. oz. 12/cs  
MK37550 55 gallon 1\*



## Inflatables, Tubes & Towables Cleaner

Effectively cleans PVC, Vinyl, Hypalon, EVA, Nylon, Plastic, Neoprene and Polyurethane materials. Helps prevent corrosion of metal hardware. Won't fade covers. Great for cleaning skis and wakeboards.

MK3832 32 fl. oz. 12/cs



## Instant Black Streak Remover

Quick, easy and effective. Instantly removes black streaks caused by water runoff on fiberglass and metal surfaces. No scrubbing necessary. Spray on/ wipe off. Commercial grade.

MK6732 32 fl. oz. 12/cs



## Ultra Vinyl Cleaner

Removes deeply embedded dirt, grease, oil, suntan lotion, food and beverage stains and more. Easy to use. Concentrated foam cleaner works fast. Excellent for all interior and exterior vinyl.

MK2718 18 oz. 12/cs



## Clear Vinyl Cleaner & Polish

Cleans, polishes and protects all transparent clear vinyl in one easy step. Great for isinglass, clear vinyl enclosures, plastic windshields, hatches and instruments made of Plexiglas®, acrylic, Lexan® and polycarbonates\*\*. Spray-on, buff-off.

MK6414 14 oz. 12/cs



## Fabric Waterproofer

Premium grade heavy duty water repellent solution. Restores water repellency of cotton and synthetic fabrics. Contains no color or dyes. Use on boat covers, bimini tops, convertible tops, awnings, tents, clothing, footwear and more. Safe on Sunbrella®, Sharkskin® and other marine grade fabrics\*\*.

MK6332 32 fl. oz. 12/cs  
MK63128 1 gallon 4/cs



## Nu-Teak™ Teak Oil

Seals, preserves and enhances the natural appearance of teak. One easy step; dries quickly. Provides long lasting protection. Contains UV inhibitors to resist weathering. Rich golden color. Use on decking, steps, rails, outdoor furniture and more.

MK3616 16 fl. oz. 12/cs



## Heads Up™ Liquid Holding Tank Deodorant

Works instantly to control odors. Long-lasting pleasant fragrance. Helps keep holding tanks and recirculating or portable toilets clean and breaks down waste and tissue. Non-formaldehyde formula.

MK4532 32 fl. oz. 12/cs



## Nu-Teak™ One Step Teak Cleaner

Cleans teak and other hardwoods. Removes stains and weathering. Contains no acids. Will not raise wood grain. Also great for decks, patios and outdoor furniture.

MK2432 32 fl. oz. 12/cs



## Liquid Rollers® Trailer Bunk Boards Lubricant

Makes the loading and unloading of boats easy. Dramatically reduces friction to make bunk boards as slick as rollers. Long lasting, nongreasy, non-staining formula. Repels road dirt and grime.

MK6810 10 oz. 12/cs



## Brilliant Metal Polish

An extremely versatile metal polish that cleans and polishes more than 11 different types of metal. The formula contains no harsh abrasives and is even gentle enough to use on fiberglass.

MK88 14 fl. oz. 6/cs

\*Made to order, call for information. \*\* Plexiglas® is a registered trademark of Arkema France. Lexan® is a registered trademark of SABIC Innovative Plastics. Sunbrella® is a registered trademark of Glen Raven, Inc. Sharkskin® is a registered trademark of Westland Industries Inc.

# Marine Products



## Highlight™ Spray Wax

Highly concentrated blend of rich waxes. Instantly gives a high-gloss hand-rubbed look. Protects against sun, salt and weathering. Waxes and polishes fiberglass, stainless steel, chrome and brass.

MK2618 18 oz. 12/cs



## TREWAX® Four Seasons Boat Wax

Contains Carnauba, the world's hardest natural wax. Leaves a long-lasting, brilliant finish. Designed specifically for marine finishes. Use on fiberglass, painted surfaces, aluminum, chrome, and stainless steel.



MK66 12 oz. 12/cs



## STOR & GO® Ethanol Fuel Treatment & Stabilizer

Protects all gas-powered 2 & 4-cycle engines from harmful effects of ethanol. Helps prevent phase separation, protects against corrosion, cleans the fuel system, stabilizes fuel and restores power. Stabilizes fuel for 24+ months.



06141 8 fl. oz. 12/cs  
06142 16 fl. oz. 12/cs  
06143 32 fl. oz. 6/cs



## Moisture Absorber

Dries air in cabins, lockers, bathrooms, closets, basements and other enclosed areas. Super dry concentrated pellet formula absorbs up to 50% more moisture than flake formulas. Package includes protective web lid.



MK6912 12 oz. 12/cs



## Moisture Control Bag

Absorbs dampness that leads to rust and musty odors. Soaks up moisture from the air like a sponge. Does not drip. Great for lockers, head, galley, bilge, cabin and rope storage. Also great for RV, home and apartment use. Reusable.



MK7112 12 oz. 12/cs

# Outdoor Protection



## Bee Blast® with Residual Wasp & Hornet Killer

Instantly saturates insects and their nests with a 22-foot jet blast. Knocks down and kills on contact. Now with residual action that kills wasps and hornets returning to the nest.

14009 14 oz. 12/cs



## Wasp & Hornet Killer Plus™ Insecticide

Fast acting, high strength insecticide kills wasps, hornets, bees and other stinging insects on contact. Ergonomic trigger provides control. Kills on contact from 20 feet away. Plastic safe formula.

14010 14 oz. 12/cs



## Insect Repellent

Double strength formula repels insects up to twice as long as common consumer products. Helps guard against contracting Lyme Disease when sprayed on exposed skin and clothing.

14011 6 oz. 12/cs







## Sure Shot® Reusable Sprayer

All-metal, one quart, reusable air-pressurized sprayer. For use with most bulk lubricants, solvents and corrosion inhibitors. Tested to 200psi.

14016 1 unit

*SURE SHOT® is a registered trademark of Milwaukee Sprayer*



## Empty Trigger Bottle

New 24 oz design improves stability while Level III fluorination provides maximum durability. Features blank lines and charts for product and safety information.

14021 24 oz. capacity 12/cs



## Fuel Injection Applicator

Fuel Injection induction tool with control valve. Used to slowly induce products into vacuum lines or hoses. For use with all types of induction system treatments for automotive and marine engine servicing.

14034 12/cs



## Heavy Duty Lever Grease Gun

3-way easy loading for standard 14 oz cartridges. Provides 10,000 lbs of pressure. Short stroke feature for confined areas. Sure-grip knurled barrel. Heavy duty thick wall steel construction.

SL37019 1 unit

SL46022 Flex. Hose 12" 10/cs



## Fluid Oil Pump

Constructed of durable PVC plastic. For all fluid reservoirs including differentials, transmissions and gear cases. Dispenses 1 fl oz of product with each depression. Designed to fit all Sta-Lube quart, half-gallon and gallon containers.

SL4344 6/cs



## Long Handle Dipping Basket

13" handle and sturdy basket for hands-free cleaning of a variety of metal parts. For use with Tyme® 15 gallon pail or other bulk cleaning agents.

14061 1 unit



## Salt Terminator® Mixer Unit

For use with Salt Terminator concentrate.

SXMXR 12/cs



## Commercial Pump Sprayer

A poly tank sprayer designed for professional use. Easy to use. Holds one gallon. High density polyethylene. Equipped with a 3/6" reinforced multi-layer PVC braided hose and adjustable nozzle.

MK1991 1 unit

MK1991A Complete pump assembly

MK1991C Shutoff assembly



1-Tank Power Renew® .....	6	Copper Anti-Seize .....	3	Fuel Therapy® Diesel Additives .....	18
7 Minute Rapid Flush		Copper-Coat® High Temp Gasket Compound ...	13	Friction Guard™ For Oil .....	13
Cooling System Cleaner .....	12	Crystal Lakes™ Hull & Bottom Cleaner .....	20	Garage Door Lube .....	3
2-Cycle Oil .....	17	Cutting Oils & Shop Supplies .....	17	Gasket Compound .....	13
6-56® Marine Multi-Purpose Lube .....	19	Degreaser, QC-82™ Pro-Strength .....	4	Gasket Remover .....	13
Air Brake Anti-Freeze & Conditioner .....	18	Degreaser, Marine Pro-Strength .....	19	GDI IVD™ Intake Valve & Turbo Cleaner .....	6
Air Tool Oil SAE 10 .....	17	De-Squeak™ Brake Conditioning Treatment .....	2	Gear Oils .....	16
Aluminex™ Pontoon & Aluminum		Di-Electric Grease .....	5	General Purpose Lithium Grease .....	14
Hull Cleaner .....	20	Diesel & Heavy Truck Maintenance Products ...	18	GL-4 Multi-Purpose Gear Oils .....	16
Aluminex™ Clean & Shine		Diesel 1-Tank Power Renew® .....	18	GL-5 PLUS New Generation™ Gear Oils .....	16
Aluminum Cleaner .....	20	Diesel Additives .....	18	Glass Cleaner .....	9
Appearance Products .....	9	Diesel Cold Flow™ Anti-Gel with Lubricity .....	18	Grease .....	14
Bar & Chain Lubricant .....	17	Diesel Dry™ Diesel Water Remover .....	18	Grease Away Engine Degreaser .....	20
Battery Cleaner with Acid Indicator .....	5	Diesel Fuel Injector Cleaner .....	18	Grease Gun .....	23
Battery Maintenance Twin Pack .....	5	Diesel Fuel Injector Cleaner with Anti-Gel .....	18	Guaranteed To Pass® Emissions Test Formula ...	7
Battery Terminal Protector .....	5	Diesel Fuel Injector Cleaner with Anti-Gel .....	18	Hand Cleaners .....	15
Belt Conditioner .....	13	Disc Brake Quiet .....	2	Heads Up™ Liquid Holding Tank Deodorant .....	21
Big Bully® Natural Orange Bilge Cleaner .....	20	Dry Lube with PTFE .....	19	Heavy Duty Corrosion Inhibitor .....	19
Bilge Cleaner .....	20	Duster™ Moisture-Free Dust & Lint Remover ...	5	Heavy Duty Drum Brake	
Bio-Con™ Sludge Sediment Remover .....	18	Electronic Cleaner .....	5	Wheel Bearing Grease .....	14
Block Seal Permanent Metallic™		Engine Assembly Lube & Anti-Seize .....	13	Heavy Duty Silicone Lubricant .....	3
Block & Radiator Seal .....	11	Engine Degreaser .....	4	Hi-Temp Disc Brake Wheel Bearing Grease .....	14
Boat Trailer and 4X4 Grease .....	14	Engine Degreaser, Citrus .....	4	Highlight™ Spray Wax .....	22
Brake Maintenance Products .....	1-2	Engine Degreaser, Gel .....	4	Honing & Cutting Oil .....	17
Brakleen® Brake Parts Cleaner .....	1	Engine Stor® Fogging Oil .....	19	Hull & Bottom Cleaner .....	20
Bright Zinc-It® High Shine		Engine Tune-Up & Decarbonizer .....	19	Hydraulic & Jack Oil SAE 20 .....	17
Instant Cold Galvanize .....	8	Equa-Torque® Differential Friction Modifier .....	17	HydroForce® Cleaners .....	9
Brilliant Metal Polish .....	21	Equipment & Tools .....	23	Hypoid 90 Lower Unit Gear Lube .....	19
Bulb & Connector Grease .....	5	Ethanol Fuel Treatment .....	7,19	Ice-Off® Spray De-Icer .....	8
C.V. (Constant Velocity) Joint Grease .....	14	Fabric Waterproofor .....	21	Inflatables, Tubes & Towables Cleaner .....	21
Caliper Grease .....	2	Fast Motor Flush™ 5-Minute Engine Cleaner .....	13	Inner Slide Lube .....	3
Carburetor Cleaner .....	4	FiberLock® Head Gasket & Block Repair .....	11	Insect Control .....	22
Cetane Boost .....	18	Fluid Oil Pump .....	23	Instant Black Streak Remover .....	21
Chain Lube .....	3	For Gas Tanks (Isopropanol) .....	7	Instant Cold Galvanize .....	17
Clean-R-Carb™ Carburetor Cleaner .....	4	Freeze-Off® Super Penetrant .....	3	Instant Cooling System Stop Leak .....	12
Cleaning Detail® Non-Skid Deck Cleaner .....	20	Fuel Additives .....	6-7	Intake Valve Cleaner .....	10
Clear Vinyl Cleaner & Polish .....	21	Fuel Injection Applicator .....	23	Jump Start® Starting Fluid with Lubricity .....	8
Commercial Pump Sprayer .....	23	Fuel Injector & Carburetor Cleaner .....	7	Knock'er Loose® Technician Grade Penetrant .....	3
Complete Fuel System Cleaner .....	6	Fuel Injector Cleaner, Premium .....	7	Lanolin Cream Hand Cleaner .....	15
Compressor Oil SAE 30 .....	17	Fuel Injector Cleaner, Super Turbo™ .....	7	Lectra-Motive® Electric Parts Cleaner .....	5
Cooling System Maintenance Products .....	11, 12	Fuel Stabilizer .....	19		

Liquid Rollers® Trailer Bunk Boards Lubricant . . . . .	21	Quick Flow™ Emergency Diesel-Gel Relief . . . . .	18	Trans-X® Posi-Trac® Limited Slip Gear Oil Additive . . . . .	17
Lithium Grease . . . . .	14	Red Grease #2 . . . . .	14	Trans-X® Automatic Transmission Stop Leak & Tune Up . . . . .	12
Long Handle Dipping Basket . . . . .	23	RevitaCool™ Coolant Boost . . . . .	12	Transmission Additives . . . . .	12
Lubricants . . . . .	3	Roll Away™ Boat Wash . . . . .	20	Transmission Fluid . . . . .	12
Marine, Boat Trailer & 4x4 Grease . . . . .	14	RTV Silicone Adhesive & Sealant . . . . .	9	Trewax® Four Seasons Boat Wax . . . . .	22
Marine Cleaner & Degreaser . . . . .	19	Rubberized Undercoating . . . . .	8	Trigger Bottle . . . . .	23
Marine Degreaser . . . . .	19	Rust Converter . . . . .	8	TYME® 1 Carburetor & Cold Parts Cleaner . . . . .	4
Marine Premium Dielectric Grease . . . . .	19	Salt Terminator® . . . . .	8	Ultra Screwloose® Super Penetrant . . . . .	3
Marine Products . . . . .	19-22	Salt Terminator® Mixer Unit . . . . .	8,23	Ultra Vinyl Cleaner . . . . .	21
Mass Air Flow Sensor Cleaner . . . . .	4,6	Screwloose® Super Penetrant . . . . .	3	Universal 2-Cycle Oil . . . . .	17
Mass Air/Throttle Body Twinpack . . . . .	4	Silaramic® Brake System Grease . . . . .	2	Valve-Kleen™ Oil Treatment, Valve & Lifter Cleaner . . . . .	13
Maxi Wax™ One Step Cleaner Wax . . . . .	22	Silicone Lubricant . . . . .	14	VisiClear™ Display Cleaner . . . . .	5
Mechanix Orange™ Citrus Hand Cleaner with Pumice . . . . .	15	Soluble Oil . . . . .	17	Wasp & Hornet Killer PLUS™ . . . . .	22
Metal Polish . . . . .	21	Spray Away™ All Purpose Cleaner . . . . .	20	Water Remover, Gasoline . . . . .	7
Mildew Stain Remover . . . . .	21	Sprayer . . . . .	23	White Lithium Grease . . . . .	3
Minute Mend™ Epoxy Putty . . . . .	9	Sta-Plex™ Extreme Pressure Premium Red Grease . . . . .	14	Wire Dryer . . . . .	5
Moisture Absorber . . . . .	22	Sta-Plex™ Premium Red Grease . . . . .	3	Zinc-It® Instant Cold Galvanize . . . . .	8
Moisture Control Bag . . . . .	22	Starting Fluid . . . . .	8		
Moly-Graph® Extreme Pressure Grease . . . . .	14	Steer-X™ Power Steering Stop Leak . . . . .	12		
Motor Treatment . . . . .	13	Stor & Go® Ethanol Fuel Treatment . . . . .	7,22		
Multi Purpose Food Grade Grease . . . . .	14	Stor-X® Fuel Stabilizer . . . . .	7		
Natural Degreaser™ . . . . .	9	Super Suds™ Boat Soap . . . . .	20		
New Generation™ Disc & Drum Wheel Bearing Grease . . . . .	14	Super Turbo™ Fuel Injector Cleaner . . . . .	7		
Nickel Anti-Seize . . . . .	3	Super Turbo™ Engine Oil Stop Leak . . . . .	13		
Nu-Teak™ One Step Teak Cleaner . . . . .	21	Super White™ Multi-Purpose Grease . . . . .	14		
Nu-Teak™ Teak Oil . . . . .	21	Sure Shot® Reusable Sprayer . . . . .	23		
Octane Boost & Lead Substitute . . . . .	7	SYN-GO® Multi-Grade Full Synthetic Gear Oils . . . . .	16		
On & Off Hull & Bottom Cleaner . . . . .	20	Synthetic Brake & Caliper Grease . . . . .	2		
Parts Washer Solvent . . . . .	4	Synthetic Food Grade Grease . . . . .	14		
Penetrants . . . . .	3	Synthetic Gear Oil . . . . .	17		
Power Lube® Multi-Purpose Lubricant . . . . .	3	Tannery® Leather Cleaner/Conditioner . . . . .	9		
Permanent Head Gasket & Block Repair with Nano . . . . .	11	Throttle Body & Air Intake Cleaner . . . . .	4,6		
Power Steering Fluid . . . . .	12	Throttle Body/Mass Air Twinpack . . . . .	4,6		
Pro-Strength Degreaser, Marine . . . . .	19	Tools & Equipment . . . . .	23		
Pumice Hand Cleaner with Lemon Scent . . . . .	15	Top Engine Cleaner . . . . .	13		
Pump Sprayer . . . . .	23	Trans-Kleen™ Automatic Transmission Treatment . . . . .	12		
QC-82™ Pro-Strength Degreaser . . . . .	4	Trans-X® 75K High Mileage Transmission Treatment . . . . .	12		
QD® Electronic Cleaner . . . . .	5				



Motor & Equipment Manufacturers Association



Automotive Aftermarket Suppliers Association



CRC INDUSTRIES, INC. 800 Enterprise Road, Suite 101 • Horsham, PA 19044

CUSTOMER SERVICE 800-272-8963 • Fax: 800-272-4560

TECHNICAL ASSISTANCE 800-521-3168 • techservice@crcindustries.com



[facebook.com/crcauto](https://facebook.com/crcauto) • [twitter.com/crcauto](https://twitter.com/crcauto) • [youtube.com/crcauto](https://youtube.com/crcauto) • [instagram.com/crcauto](https://instagram.com/crcauto) • [plus.google.com](https://plus.google.com)

CRC®, K&W®, Sta-Lube®, Marykate® and all products denoted with ® and ™ are trademarks of CRC Industries, Inc.

©2016 CRC Industries, Inc. Printed in USA

[www.crcindustries.com](http://www.crcindustries.com)

A1016CAT-20M